



X Ultrawide


Optimized for 21:9 Content



Micro LED



21:9 Ultrawide View




Multi-View Modes




Eco-Compatibility

Key Features



Micro LED Technology

Experience visuals in a league of their own utilizing the integration of multiple Absen image optimization technologies. With Micro LED technology and Absen's elite image optimization, the X Ultrawide enhances the clarity and visibility; bringing out natural details and vivid colors for realistic and incredible images.



The 21:9 Ultrawide View


The X Ultrawide Screen outperforms standard 16:9 displays, providing 33% more screen area for multiple windows, collaborative tasks, and engaging presentations. Its front-row layout is perfect for Microsoft Teams, ensuring remote attendees appear life-sized and eye-level with in-room participants, creating a more lifelike interaction.



Immersive View

Experience seamless brilliance with the X Ultrawide. Immerse yourself in captivating visuals as our 100% seamless design removes distracting bezels and mullions. With an ultra-narrow 5mm bezel and an incredible 98% screen-to-body ratio, our LED screen offers an unparalleled viewing experience.

*The width of the upper, left, right, and lower bezel is 5/5/5/38mm respectively.



All-in-One Modular Design

The X Ultrawide Screen is a true marvel of integration. It doesn't stop at being a screen; it's a comprehensive solution. Included are preset modules, a control box, sturdy wall brackets, stylish decoration bezels, all necessary cables, and essential display elements required for installation. No need for additional peripherals.



Multi-View Modes

Experience versatile multi-view modes, including full screen, standard split screen, left-right split screen mode and auxiliary split screen mode, catering to diverse scenarios and requirements.



Eco-Compatibility

Compatible with ecosystems including mainstream video conferencing software, control protocols such as Crestron & Extron, and ecosystem devices like meeting bars, audio technology, control pads, etc.

Product Parameters

Model	X151	X178	X205
DiagonalSize(inch)	151"	178"	205"
LED Type	Flip Chip COB	Flip Chip COB	Flip Chip COB
ScreenDismensions(W*H)(mm/inch)	3600 × 1350 mm/141.73 × 53.15"	4200 × 1687.5 mm/165.35 × 66.44"	4800 × 2025 mm/188.98 × 79.72"
Screen Dimensions Including Bezel (WxHxD)(mm/inch)	3610 × 1395 × 39.3 mm/ 142.13 × 54.92 × 1.55"	4210 × 1732.5 × 39.3 mm/ 165.75 × 68.21 × 1.55"	4810 × 2070 × 39.3 mm/ 189.37 × 81.50 × 1.55"
Pixel Pitch(mm)	1.25	1.56	1.87
Screen Resolution(dots)	2880 × 1080	2688 × 1080	2560 × 1080
Aspect Ratio	24:9	22:9	21:9
Brightness(nits)	600	600	600
Contrast Ratio	15000:1	15000:1	15000:1
Grayscale(bit)	14	13	13
RefreshRate(Hz)	3840	3840	3840
Viewing Angle(Horizontal/Vertical)(°)	160/160	160/160	160/160
Ave./Max.Power Consumption(W)	500/1500	700/2100	900/2700
Android System	Android 11.0	Android 11.0	Android 11.0
System Capacity	4GB+32GB	4GB+32GB	4GB+32GB
Control Interface	RJ45, RS232		
Input/Output Interface	HDMI1.4 IN×2, HDMI LOOP×1, HDMI OUT×1,USB2.0×4, RJ45×1, SPDIF×1, AudioOUT×1		
Certification	FCC,ETL,CE		



www.usabsen.com
info@usabsen.com

HQ Office
7120 Lake Ellenor Drive
Orlando, FL 32809
407.203.8870

Service Center & Warehouse
7307 Presidents Drive
Orlando, FL 32809
866-872-2736

Twitter: @Absen_Inc
Facebook: @AbsenInc
LinkedIn: @AbsenInc
IG: @absen_inc